PA-IDC

۲	QUERY CONTR	OL FORM	RTIS USE ONLY			
ſ	Application No.	09766410	Prepared by	ewc	Tracking Number	05881966
	Examiner-GAU	Hugar	Date	2-18-04	Week Date	12-28-08
		2875	No. of queries	-1-	IFW	

JACKET					
a. Serial No.	f. Foreign Priority	k. Print Claim(s)	p. PTO-1449		
b. Applicant(s)	g. Disclaimer	I. Print Fig.	q. PTOL-85b		
c. Continuing Data	h. Microfiche Appendix	m. Searched Column	r. Abstract		
d. PCT	i. Title	n. PTO-270/328	s. Sheets/Figs		
e. Domestic Priority	j. Claims Allowed	o. PTO-892	t. Other		

SPECIFICATION	MESSAGE
a. Page Missing	Allowed claims per CLMPTO
b. Text Continuity	Allowed claims per CLMPTO are 2,4,5,7,9,10,11,12,13.
c. Holes through Data	Allowed claims per index are
d. Other Missing Text	2, 9, 10, 11, 12
e. Illegible Text	
f. Duplicate Text	Please advise
g. Brief Description	Thank you
h. Sequence Listing	ewc
i. Appendix	
j. Amendments	
k. Other	
CLAIMS	
a. Claim(s) Missing	
b. Improper Dependency	
c. Duplicate Numbers	
d. Incorrect Numbering	initials
e. Index Disagrees	Was correct, agrees with NOR.
f. Punctuation	was correct agrees with NOR.
g. Amendments	-def
h. Bracketing	
i. Missing Text	
j. Duplicate Text	
k. Other	
	initials

Claim 1 canceled.

BEST AVAILABLE COPY

2. The improved walking shoe of Claim 10 wherein the at least one topically carried ornamental feature possesses a luminescent characteristic and wherein each such column is loftily helically provided throughout.

Claims 3-8 canceled.

9. The structure of Claim 2 wherein the at least one visually behight topical ornamental feature is itself independently luminescent and full fluid the need of non-natural electrical power.

to. For the environment of a typical walking shee that extends directionally longitudinally along a central upright-plane and having a horizontal lower-base extending directionally longitudinally from a rear-end thereof, the improvement comprising: relegatively attach = ably confined to the rear-end of the walking shee lower-base and extending loftily thereabove a visual warning means comprising: at least one lofty and horizontally vibratory upright column and wherein each such column topically carries a visually prominent bright ornamental feature.

Il. For the environment of a typical walking shor that extends directionally horizontally longitudinally along a central upright-plane and having a horizontal lower-base extending directionally longitudinally from a walking shoe rear-end, an improved walking show comprising:

for the walking shoe lower-base at the rear-end thereof, means for attaching at least one lefty and horizontally vibratory upright column to the walking shoe prominent or a said at least one upright column, a visually prominent ornamental feature topically positioned thereat; and means for topically attaching a said prominent ornamental feature to said upright column.

12. The improved walking shoe of Claim 11 wherein the at least one topically carried ornamental feature passesses a luminescent characteristic and wherein each such column is loftily helically provided throughout.

Claim 13 canceled.